

Quattrotabs Premium 200 g two-phase

Version number: GHS 9.0 (2023-03-20)

Replaces version: GHS 8 (2023-02-03)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	Trade name	Quattrotabs Premium 200 g two-phase
	SDS-Ref	07515
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Relevant identified uses	Water treatment chemical Professional use Consumer use (private households)
1.3	Details of the supplier of the safety data sheet	Steinbach International GmbH L. Steinbach Platz 1 4311 Schwertberg Austria Telephone: +43 7262 61431 1000 e-Mail: info@steinbach-group.com e-Mail (competent person): sdb@steinbach-group.com

1.4 Emergency telephone number

Country	Name	Postal code/city	Telephone	Opening hours
Austria	Vergiftungsinformationszentrale	1090 Wien	+43 1 406 4343 (24h)	
United King- dom	National Poisons Information Service		111 (24h)	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335
4.1A	hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- Signal word

Danger

- Pictograms GHS05, GHS07, GHS09





Quattrotabs Premium 200 g two-phase

Version number: GHS 9.0 (2023-03-20)

- Hazard statements		
H302	Harmful if swallowed.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation	1.
H410	Very toxic to aquatic life with lo	ong lasting effects.
- Precautionary statements	5	
P101	If medical advice is needed, he	ave product container or label at hand.
P102	Keep out of reach of children.	
P271	Use only outdoors or in a well-	ventilated area.
P280	Wear eye protection/face pro	tection.
P301+P330+P331	IF SWALLOWED: rinse mouth.	Do NOT induce vomiting.
P305+P351+P338	IF IN EYES: Rinse cautiously wi do. Continue rinsing.	th water for several minutes. Remove contact lenses, if present and easy to
P310	Immediately call a POISON C	ENTER/doctor.
P501	Dispose of contents/container	to hazardous or special waste collection point.
- Supplemental hazard in	formation	
EUH031	Contact with acids liberates to:	tic gas.
EUH206	Warning! Do not use together	with other products. May release dangerous gases (chlorine).
- Hazardous ingredients f	or labelling	Symclosene; Aluminium sulphate; Troclosene sodium, dihydrate

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\ge 0, 1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0, 1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Classification acc. to GHS	Pictograms	Wt%
Symclosene	CAS No 87-90-1 EC No 201-782-8 Index No 613-031-00-5	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Eye Irrit. 2 / H319 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 EUH031 EUH206		75 - < 90
Troclosene sodium, dihydrate	CAS No 51580-86-0 EC No 220-767-7 Index No 613-030-01-7	Acute Tox. 4 / H302 Eye Irrit. 2 / H319 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 EUH031 EUH206		10 - < 25

Replaces version: GHS 8 (2023-02-03)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Quattrotabs Premium 200 g two-phase

Version number: GHS 9.0 (2023-03-20)

Replaces version: GHS 8 (2023-02-03)

Name of substand	e Id	lentifier	Classification acc. to GHS		Pictograms		Wt%			
Aluminium sulphat	100	CAS No 043-01-3 EC No 3-135-0		Eye Dam. 1 / H318				5 – < 10		
Name of substance	ne of substance Specific Conc. Limits			M-Factors	ATE		Exposure route			
Symclosene	Symclosene -			-	500 ^{mg} / _{kg}		oral			
Troclosene sodium, dihydrate		-		-	1,8	1,823 ^{mg} / _{kg}		323 ^{mg} / _{kg} orc		oral

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Self-protection of the first aider.

Following inhalation

Mouth to mouth resuscitation should be avoided. Use alternative methods, preferably with oxygen or compressed air driven apparatus. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). Let be drunken in little sips: 0,1-0,21 Water. Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Alcohol resistant foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx), Hydrogen chloride (HCl), Chlorine (Cl2)



Quattrotabs Premium 200 g two-phase

Version number: GHS 9.0 (2023-03-20)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation
- Use only in well-ventilated areas. Use local and general ventilation.
- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

- Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.



Quattrotabs Premium 200 g two-phase

Version number: GHS 9.0 (2023-03-20)

Replaces version: GHS 8 (2023-02-03)

Control of effects

- Protect against external exposure, such as

High temperatures, Frost, Humidity, UV-radiation/sunlight

- Ventilation requirements

Use local and general ventilation.

Packaging compatibilities

Professional use: Only packagings which are approved (e.g. acc. to ADR) may be used. Consumer use (private households): Keep only in original container.

Conditions of storage

Keep container tightly closed in a cool place. Protect from sunlight. Keep away from children.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

t DNEL a of components of the mixture

-	-			-		-					
Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m ³]	Nota- tion	Sourc e
EU	chlorine	7782- 50-5	IOELV			0.5	1.5			proc	2006 /15/ EC
GB	dust		WEL		10					i	EH40 / 2005
GB	dust		WEL		4					r	EH40 / 2005
GB	chlorine	7782- 50-5	WEL			0.5	1.5			proc	EH40 / 2005

Notation

D - I - - -

 Ceiling-C
 ceiling value is a limit value above which exposure should not occur

 i
 inhalable fraction

 proc
 substances released during the process

 r
 respirable fraction

 STEL
 short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

 TWA
 time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELS of components of the mixture								
Name of substance	CAS No	End- point Threshold Protection goal, route of exposure		Used in	Exposure time			
Troclosene sodium, dihydrate	51580-86-0	DNEL	1.99 mg/ m ³	human, inhalatory	consumer (private households)	chronic - systemic effects		
Troclosene sodium, dihydrate	51580-86-0	DNEL	1.15 mg/ kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects		
Troclosene sodium, dihydrate	51580-86-0	DNEL	1.15 mg/ kg bw/day	human, oral	consumer (private households)	chronic - systemic effects		



Quattrotabs Premium 200 g two-phase

Version number: GHS 9.0 (2023-03-20)

Г

Replaces version: GHS 8 (2023-02-03)

short-term (single in-

stance)

short-term (single in-

stance)

short-term (single in-

stance)

short-term (single in-

stance)

Relevant DNELs of components of the mixture									
Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
Aluminium sulphate	10043-01-3	DNEL	3.3 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects			
Aluminium sulphate	10043-01-3	DNEL	1.9 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects			
Relevant PNECs of	components	of the mix	ture						
Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time			
Troclosene sodium, dihydrate	51580-86-0	PNEC	0 ^{mg} /I	aquatic organisms	freshwater	short-term (single in stance)			

aquatic organisms

aquatic organisms

aquatic organisms

terrestrial organ-

isms

marine water

sewage treatment

plant (STP)

freshwater sediment

soil

1.52 ^{mg}/I

0.59 ^{mg}/_l

7.56 ^{mg}/kg

0.756 ^{mg}/

kg

PNEC

PNEC

PNEC

PNEC

8.2 Exposure controls (professional use)

Appropriate engineering controls

General ventilation.

Troclosene sodium,

dihydrate

Troclosene sodium,

dihydrate

Troclosene sodium,

dihydrate

Troclosene sodium,

dihydrate

Individual protection measures (personal protective equipment)

51580-86-0

51580-86-0

51580-86-0

51580-86-0

- Eye/face protection

Use safety goggle with side protection (EN 166).

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Type of material

PVC: polyvinyl chloride, NR: natural rubber, latex

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Particulate filter device (EN 143). In case of inadequate ventilation wear respiratory protection: Full face mask (DIN EN 136).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.



Quattrotabs Premium 200 g two-phase

Version number: GHS 9.0 (2023-03-20)

Replaces version: GHS 8 (2023-02-03)

9.1 Information on basic physical and chemical properties

SECTION 9: Physical and chemical properties

mornation on buolo physical and onemical properties						
Physical state	solid					
Colour	different					
Odour	characteristic					
Melting point/freezing point	not determined					
Boiling point or initial boiling point and boiling range	not determined					
Flammability	non-combustible					
Lower and upper explosion limit	not determined					
Flash point	not applicable					
Auto-ignition temperature	not determined					
Decomposition temperature	225 °C					
pH (value)	2.5 – 4 (in aqueous solution: 0.1 % (^w / _w), 20 °C)					
Kinematic viscosity	not relevant					
Particle characteristics	no data available					
Oxidising properties	none					
Vapour pressure						
Vapour pressure	<0.006 Pa at 20 °C					

Density and/or relative density					
Density	not determined				
Relative vapour density information on this property is not available					
Other safety parameters					
Solubility(ies)					
Water solubility	12 ^g / _l at 25 °C				
Partition coefficient					
n-Octanol/water (log KOW)	this information is not available				

9.2 Other information

Information with regard to physical hazard classes Other safety characteristics hazard classes acc. to GHS (physical hazards): not relevant there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.



Quattrotabs Premium 200 g two-phase

Version number: GHS 9.0 (2023-03-20)

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

There is no additional information.

Release of toxic materials with:

Acids

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

GHS of the United Nations, annex 4: May be harmful if inhaled.

Acute toxicity estimate (ATE)

Oral $608.9 \text{ }^{\text{mg}}/\text{kg}$

Name of substance	CAS No	Exposure route	End- point	Value	Species
Symclosene	87-90-1	oral	LD50	787 ^{mg} / _{kg}	rat
Symclosene	87-90-1	inhalation: dust/mist	LC50	>5.25 ^{mg} /l/4h	rat
Symclosene	87-90-1	dermal	LD50	>5,000 ^{mg} / _{kg}	rabbit
Troclosene sodium, dihydrate	51580-86-0	oral	LD50	1,823 ^{mg} / _{kg}	rat
Troclosene sodium, dihydrate	51580-86-0	dermal	LD50	>5,000 ^{mg} / _{kg}	rat
Aluminium sulphate	10043-01-3	oral	LD50	>2,000 - <5,000 ^{mg} / _{kg}	rat
Aluminium sulphate	10043-01-3	oral	LD50	>9,000 ^{mg} / _{kg}	rat
Aluminium sulphate	10043-01-3	dermal	LD50	>5,000 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.



Quattrotabs Premium 200 g two-phase

Version number: GHS 9.0 (2023-03-20)

Replaces version: GHS 8 (2023-02-03)

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Symclosene	87-90-1	LC50	0.23 ^{mg} /1	fish	96 h
Symclosene	87-90-1	EC50	0.17 ^{mg} / _l	aquatic invertebrates	48 h
Symclosene	87-90-1	EbC50	2,700 ^{mg} /l	algae	72 h
Symclosene	87-90-1	ErC50	>100 ^{mg} /I	algae	72 h
Troclosene sodium, di- hydrate	51580-86-0	LC50	0.24 ^{mg} /l	fish	96 h
Troclosene sodium, di- hydrate	51580-86-0	EC50	0.17 ^{mg} /l	aquatic invertebrates	48 h
Troclosene sodium, di- hydrate	51580-86-0	EbC50	2,700 ^{mg} / _l	algae	72 h
Troclosene sodium, di- hydrate	51580-86-0	ErC50	>100 ^{mg} /I	algae	72 h
Aluminium sulphate	10043-01-3	LC50	36.1 ^{mg} /l	fish	96 h
Aluminium sulphate	10043-01-3	LC50	23.6 – 38.2 ^{mg} /1	crustacean	48 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Symclosene	87-90-1	EC50	2,600 ^{mg} /l	aquatic invertebrates	21 d
Troclosene sodium, di- hydrate	51580-86-0	EC50	2,600 ^{mg} /l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Data are not available.



Quattrotabs Premium 200 g two-phase

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Symclosene	87-90-1		-1.31 (25 °C)	
Aluminium sulphate	10043-01-3		<3	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\ge 0, 1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0, 1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Other disposal recommendations

Dispose of contents/container to hazardous or special waste collection point. Waste treatment of containers/packagings: Mixed municipal waste.

Relevant provisions relating to waste

List of wastes (EU), Decision 2000/532/EC on the list of waste

Product Code/ Type of waste: 19 09 99

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SEC	TION 14: Transport information	
14.1	UN number or ID number	3077
	ADR/RID/ADN	UN 3077
	IMDG-Code	UN 3077
	ICAO-TI	UN 3077
14.2	UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
	ADR/RID/ADN	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.



Quattrotabs Premium 200 g two-phase

Version number: GHS 9.0 (2023-03-20)

Replaces version: GHS 8 (2023-02-03)

	IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
	ICAO-TI	Environmentally hazardous substance, solid, n.o.s.
	Technical name (hazardous ingredients)	Troclosene sodium, dihydrate, Symclosene
14.3	Transport hazard class(es)	
	ADR/RID/ADN	9
	IMDG-Code	9
	ICAO-TI	9
14.4	Packing group	III (substance presenting low danger)
	ADR/RID/ADN	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Classification code	M7
Danger label(s)	9, fish and tree
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Tunnel restriction code (TRC)	-
Hazard identification No	90
Emergency Action Code	2Z

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code	M7
Danger label(s)	9, fish and tree
Environmental hazards	yes (hazardous to water)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Hazard identification No	90



Quattrotabs Premium 200 g two-phase

Version number: GHS 9.0 (2023-03-20)

Replaces version: GHS 8 (2023-02-03)

International Maritime Dangerous Goods Code (IMDG) - Additional information Marine pollutant yes (hazardous to the aquatic environment) Danger label(s) 9, fish and tree Special provisions (SP) 274, 335, 966, 967, 969 Excepted quantities (EQ) E1 5 kg Limited quantities (LQ) EmS F-A, S-F Stowage category International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Environmental hazards yes (hazardous to the aquatic environment) Danger label(s) 9, fish and tree ∕II∖ A97, A158, A179, A197, A215 Special provisions (SP) Excepted quantities (EQ) E1 Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

No	Dangerous substance/hazard categories		
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)		
Deco-Paint	Directive		
VOC content 0 %			
Industrial Emissions Directive (IED)			

0%

VOC content

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed.

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Troclosene sodium, dihydrate		a)	
Troclosene sodium, dihydrate		a)	
Symclosene		a)	
Aluminium sulphate		a)	

Legend

Indicative list of the main pollutants



Quattrotabs Premium 200 g two-phase

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National inventories

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed
Legend		

Legend REACH Reg.

REACH registered substances

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
3.2		Description of the mixture: change in the listing (table)	yes
11.1		Acute toxicity estimate (ATE): change in the listing (table)	yes
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/ 322/EEC and 2000/39/EC
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	hazardous to the aquatic environment - acute hazard
Aquatic Chronic	hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	ceiling value
COD	chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EbC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008



Quattrotabs Premium 200 g two-phase

Version number: GHS 9.0 (2023-03-20)

Replaces version: GHS 8 (2023-02-03)

Abbr.	Descriptions of used abbreviations
IOELV	indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50% lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-octanol/water
NLP	No-Longer Polymer
Ox. Sol.	oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
STOT SE	specific target organ toxicity - single exposure
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.