

according to Regulation (EC) No. 1907/2006 (REACH)

Flock cartridge Premium

Version number: GHS 6.1 (2023-03-20) Replaces version: GHS 5 (2021-10-22)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name Flock cartridge Premium

SDS-Ref 07541

1.2 Relevant identified uses of the substance or mixture and uses advised against

> Relevant identified uses Flocculant Professional use

> > Consumer use (private households)

1.3 Details of the supplier of the safety data sheet Steinbach International GmbH

L. Steinbach Platz 1 4311 Schwertberg

Austria

Telephone: +43 7262 61431 1000 e-Mail: info@steinbach-group.com

e-Mail (competent person): sdb@steinbach-group.com

1.4 **Emergency telephone number**

Country	Name	Postal code/city	Telephone	Opening hours
Austria	Vergiftungsinformationszentrale	1090 Wien	+43 1 406 4343 (24h)	
United King- dom	National Poisons Information Service		111 (24h)	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling

- Signal word Danger

- Pictograms

GHS05



- Hazard statements

H290 May be corrosive to metals. H318 Causes serious eye damage.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P280 Wear eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

United Kingdom: en Page: 1 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Flock cartridge Premium

Version number: GHS 6.1 (2023-03-20)

Replaces version: GHS 5 (2021-10-22)

- Precautionary statements

P501 Dispose of contents/container to hazardous or special waste collection point.

- Supplemental hazard information

EUH208 Contains Lanthanum(III) chloride, heptahydrate. May produce an allergic reaction.

- Hazardous ingredients for labelling

Aluminium sulphate, hexadecahydrate, Lanthanum(III) chloride, heptahydrate

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0, 1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Classification acc. to GHS	Pictograms	Wt%
Aluminium sulphate, hexa- decahydrate	CAS No 16828-11-8	Eye Dam. 1 / H318		≥ 90
	EC No 605-511-8			
Lanthanum(III) chloride, hep- tahydrate	CAS No 10025-84-0 EC No 233-237-5	Met. Corr. 1 / H290 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Aquatic Chronic 2 / H411	(<u>1</u>)	< 2.5

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Lanthanum(III) chlor- ide, heptahydrate	Skin Sens. 1; H317: C≥10 %	-	-	

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Self-protection of the first aider.

Following inhalation

Mouth to mouth resuscitation should be avoided. Use alternative methods, preferably with oxygen or compressed air driven apparatus. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In all cases of doubt, or when symptoms persist, seek medical advice.

United Kingdom: en Page: 2 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Flock cartridge Premium

Version number: GHS 6.1 (2023-03-20)

Replaces version: GHS 5 (2021-10-22)

Following ingestion

Rinse mouth with water (only if the person is conscious). Let be drunken in little sips: 0,1-0,2l Water. Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Alcohol resistant foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom: en Page: 3 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Flock cartridge Premium

Version number: GHS 6.1 (2023-03-20) Replaces version: GHS 5 (2021-10-22)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation
 Use only in well-ventilated areas. Use local and general ventilation.
- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres
- Removal of dust deposits.
- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

Control of effects

- Protect against external exposure, such as
- High temperatures, Frost, Humidity, UV-radiation/sunlight
- Ventilation requirements

Use local and general ventilation.

Packaging compatibilities

Professional use: Keep only in the original container. Consumer use (private households): Keep only in original container.

Conditions of storage

Keep container tightly closed in a cool place. Protect from sunlight. Keep away from children.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota- tion	Sourc e
GB	dust		WEL		10					i	EH40 / 2005
GB	dust		WEL		4					r	EH40 / 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

inhalable fraction

r respirable fraction STEL short-term exposur

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise spe-

cified)

United Kingdom: en Page: 4 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Flock cartridge Premium

Version number: GHS 6.1 (2023-03-20)

Replaces version: GHS 5 (2021-10-22)

Notation

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Aluminium sulphate, hexadecahydrate	16828-11-8	DNEL	3.3 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
Aluminium sulphate, hexadecahydrate	16828-11-8	DNEL	1.9 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Lanthanum(III) chlor- ide, heptahydrate	10025-84-0	PNEC	0.018 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
Lanthanum(III) chlor- ide, heptahydrate	10025-84-0	PNEC	0.002 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)
Lanthanum(III) chlor- ide, heptahydrate	10025-84-0	PNEC	12.5 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)

8.2 Exposure controls (professional use)

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

- Eye/face protection

Use safety goggle with side protection (EN 166).

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Type of material

PVC: polyvinyl chloride, NR: natural rubber, latex

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Particulate filter device (EN 143).

In case of inadequate ventilation wear respiratory protection: Full face mask (DIN EN 136).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United Kingdom: en Page: 5 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Flock cartridge Premium

Version number: GHS 6.1 (2023-03-20) Replaces version: GHS 5 (2021-10-22)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	white
Odour	odourless
Melting point/freezing point	770 °C
Boiling point or initial boiling point and boiling range	1,750 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
pH (value)	2.5 – 4 (in aqueous solution: 1 % (^w / _w), 20 °C)
Kinematic viscosity	not relevant
Particle characteristics	no data available
Oxidising properties	none
Vanaur process	

Vapour pressure

Vapour pressure	not determined
-----------------	----------------

Density and/or relative density

Density	2.71 ^g / _{cm³}	
Relative vapour density	information on this property is not available	

Other safety parameters

Solubility(ies)

Water solubility	300 ^g / _I at 20 °C
Partition coefficient	

n-Octanol/water (log KOW)	this information is not available
---------------------------	-----------------------------------

9.2 Other information

information with regard to physical nazara classes	there is no additional information
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

United Kingdom: en Page: 6 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Flock cartridge Premium

Version number: GHS 6.1 (2023-03-20)

Replaces version: GHS 5 (2021-10-22)

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

Name of substance	CAS No	Exposure route	End- point	Value	Species
Aluminium sulphate, hexa- decahydrate	16828-11-8	oral	LD50	>2,000 - <5,000 ^{mg} / _{kg}	rat
Aluminium sulphate, hexa- decahydrate	16828-11-8	oral	LD50	>9,000 ^{mg} / _{kg}	rat
Aluminium sulphate, hexa- decahydrate	16828-11-8	dermal	LD50	>5,000 ^{mg} / _{kg}	rabbit
Lanthanum(III) chloride, heptahy- drate	10025-84-0	oral	LD50	2,621 ^{mg} / _{kg}	rat
Lanthanum(III) chloride, heptahy- drate	10025-84-0	dermal	LD50	>1,638 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Contains Lanthanum(III) chloride, heptahydrate. May produce an allergic reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

United Kingdom: en Page: 7 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Flock cartridge Premium

Version number: GHS 6.1 (2023-03-20)

Replaces version: GHS 5 (2021-10-22)

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0, 1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Recycling/reclamation of other inorganic materials.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Other disposal recommendations

Dispose of contents/container to hazardous or special waste collection point. Waste treatment of containers/packagings: Mixed municipal waste.

Relevant provisions relating to waste

List of wastes (EU), Decision 2000/532/EC on the list of waste

Product Code/ Type of waste: 19 09 99

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United Kingdom: en Page: 8 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Flock cartridge Premium

Version number: GHS 6.1 (2023-03-20) Replaces version: GHS 5 (2021-10-22)

SECTION 14: Transport information

14.1 UN number or ID number not subject to transport regulations

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods

regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

No	Dangerous substance/hazard categories	
	not assigned	
Deco-Paint Directive		
VOC content	0 %	
Industrial Emissions Directive (IED)		
VOC content		0 %

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed.

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

United Kingdom: en Page: 9 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Flock cartridge Premium

Version number: GHS 6.1 (2023-03-20) Replaces version: GHS 5 (2021-10-22)

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	CAS No	Listed in	Remarks
Lanthanum(III) chloride, heptahydrate		a)	
Aluminium sulphate, hexadecahydrate		a)	

Legend

A)

Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
2.3	Other hazards: Of no significance	Other hazards	yes
2.3		Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
3.2		Description of the mixture: change in the listing (table)	yes
9.1	pH (value): 2.5 – 4 (in aqueous solution: 20 ^{mg} / _{cm³} , 20 °C)	pH (value): 2.5 – 4 (in aqueous solution: 1 % (*/_w), 20 °C)	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Restrictions according to REACH, Annex XVII: change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list: None of the ingredients are listed.		yes
16		Abbreviations and acronyms: change in the listing (table)	yes
16	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	Key literature references and sources for data: Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	yes

United Kingdom: en Page: 10 / 11



according to Regulation (EC) No. 1907/2006 (REACH)

Flock cartridge Premium

Version number: GHS 6.1 (2023-03-20)

Replaces version: GHS 5 (2021-10-22)

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Sens.	skin sensitisation
STEL	short-term exposure limit
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 11 / 11