

according to Regulation (EC) No. 1907/2006 (REACH)

Metall-EX liquid

Version number: GHS 9.2 (2023-03-24)

Replaces version: GHS 8 (2023-02-02)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Metall-EX liquid

SDS-Ref 07554

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Professional use

Consumer use (private households)

Cleaning agent

Uses advised against Do not use for squirting or spraying

Do not use for products which come into direct contact with

the skin

1.3 Details of the supplier of the safety data sheet Steinbach International GmbH

L. Steinbach Platz 1 4311 Schwertberg

Austria

Telephone: +43 7262 61431 1000 e-Mail: info@steinbach-group.com

e-Mail (competent person): sdb@steinbach-group.com

1.4 Emergency telephone number

Country	Name	Postal code/city	Telephone	Opening hours
Austria	Vergiftungsinformationszentrale	1090 Wien	+43 1 406 4343 (24h)	
United King- dom	National Poisons Information Service		111 (24h)	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

- Signal word

Danger

- Pictograms

GHS05

- Hazard statements

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

United Kingdom: en Page: 1 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Metall-EX liquid

Version number: GHS 9.2 (2023-03-24)

Replaces version: GHS 8 (2023-02-02)

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to hazardous or special waste collection point.

- Hazardous ingredients for labelling (1-Hydroxyethylidene)-1,1-diphosphonic acid; Hydrochloric acid;

Phosphoric acid

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0, 1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Classification acc. to GHS	Pictograms	Wt%
(1-Hydroxyethylidene)-1,1- diphosphonic acid	CAS No 2809-21-4 EC No	Met. Corr. 1 / H290 Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318		10 – < 25
	220-552-8	Lye Dalli. 1 / 11316		
Hydrochloric acid	CAS No 7647-01-0	Met. Corr. 1 / H290 Skin Corr. 1B / H314 Eye Dam. 1 / H318		5 – < 10
	EC No 231-595-7	STOT SE 3 / H335		
	Index No 017-002-01-X			
Phosphoric acid	CAS No 7664-38-2	Met. Corr. 1 / H290 Acute Tox. 4 / H302 Skin Corr. 1B / H314		2.5 – < 5
	EC No 231-633-2	Eye Dam. 1 / H318		
	Index No 015-011-00-6			

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
(1-Hydroxyethyl- idene)-1,1-diphos- phonic acid	-	-	500 ^{mg} / _{kg}	oral

United Kingdom: en Page: 2 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Metall-EX liquid

Version number: GHS 9.2 (2023-03-24) Replaces version: GHS 8 (2023-02-02)

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Hydrochloric acid	Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	-	-	
Phosphoric acid	Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	-	500 ^{mg} / _{kg}	oral

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Take off immediately all contaminated clothing. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Self-protection of the first aider.

Following inhalation

Mouth to mouth resuscitation should be avoided. Use alternative methods, preferably with oxygen or compressed air driven apparatus. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth with water (only if the person is conscious). Let be drunken in little sips: 0, 1-0, 21 Water. Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2), Phosphorus oxides (PxOy), Hydrogen chloride (HCI)

United Kingdom: en Page: 3 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Metall-EX liquid

Version number: GHS 9.2 (2023-03-24)

Replaces version: GHS 8 (2023-02-02)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: Kieselgur (diatomite), Sand, Universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use only in well-ventilated areas. Use local and general ventilation.

- Handling of incompatible substances or mixtures
- Keep away from

Caustic solutions

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

United Kingdom: en Page: 4 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Metall-EX liquid

Version number: GHS 9.2 (2023-03-24) Replaces version: GHS 8 (2023-02-02)

Control of effects

- Protect against external exposure, such as

High temperatures, Frost, UV-radiation/sunlight

Packaging compatibilities

Professional use: Only packagings which are approved (e.g. acc. to ADR) may be used. Consumer use (private households): Keep only in original container.

Conditions of storage

Keep container tightly closed in a cool place. Protect from sunlight. Keep away from children.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun try	Name of agent	CAS No	lden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota- tion	Sourc e
EU	formic acid	64-18-6	IOELV	5	9						2006 /15/ EC
EU	hydrogen chloride	7647- 01-0	IOELV	5	8	10	15				2000 /39/ EC
EU	orthophosphoric acid	7664- 38-2	IOELV		1		2				2000 /39/ EC
GB	formic acid	64-18-6	WEL	5	9.6						EH40 / 2005
GB	hydrogen chloride	7647- 01-0	WEL	1	2	5	8			ga	EH40 / 2005
GB	orthophosphoric acid	7664- 38-2	WEL		1		2				EH40 / 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

as gases and aerosols ga STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise spe-

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (un-

less otherwise specified)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
(1-Hydroxyethyl- idene)-1,1-diphos- phonic acid	2809-21-4	DNEL	6.5 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
(1-Hydroxyethyl- idene)-1,1-diphos- phonic acid	2809-21-4	DNEL	6.5 mg/kg bw/day	human, oral	consumer (private households)	acute - systemic ef- fects

United Kingdom: en Page: 5 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Metall-EX liquid

Version number: GHS 9.2 (2023-03-24)

Replaces version: GHS 8 (2023-02-02)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hydrochloric acid	7647-01-0	DNEL	8 mg/m³	human, inhalatory	consumer (private households)	chronic - local ef- fects
Hydrochloric acid	7647-01-0	DNEL	15 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
(1-Hydroxyethyl- idene)-1,1-diphos- phonic acid	2809-21-4	PNEC	0.136 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
(1-Hydroxyethyl- idene)-1,1-diphos- phonic acid	2809-21-4	PNEC	0.014 ^{mg} / _I	aquatic organisms	marine water	short-term (single in- stance)
(1-Hydroxyethyl- idene)-1,1-diphos- phonic acid	2809-21-4	PNEC	20 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
(1-Hydroxyethyl- idene)-1,1-diphos- phonic acid	2809-21-4	PNEC	59 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
(1-Hydroxyethyl- idene)-1,1-diphos- phonic acid	2809-21-4	PNEC	5.9 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
(1-Hydroxyethyl- idene)-1,1-diphos- phonic acid	2809-21-4	PNEC	96 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)

8.2 Exposure controls (professional use)

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

- Eye/face protection

Use safety goggle with side protection (EN 166).

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Type of material

PVC: polyvinyl chloride, NR: natural rubber, latex

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

In case of inadequate ventilation wear respiratory protection: Full face mask (DIN EN 136).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United Kingdom: en Page: 6 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Metall-EX liquid

Version number: GHS 9.2 (2023-03-24)

Replaces version: GHS 8 (2023-02-02)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u></u>	· · ·
Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	-30 °C
Boiling point or initial boiling point and boiling range	100 °C
Flammability	not relevant (fluid)
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
pH (value)	<2 (in aqueous solution: 100 wt%, 20 °C) (acid)
Kinematic viscosity	not determined
Particle characteristics	no data available
Oxidising properties	none
Vapour pressure	
Venauranura	100 kp, -+ 20 °C

Vapour	pressure	190 hPa at 20 °C

Density and/or relative density

Density	1.133 ⁹ / _{cm³}
Relative vapour density	information on this property is not available

Other safety parameters

Solubility(ies)

Water solubility	miscible in any proportion	
Partition coefficient		
n-Octanol/water (log KOW)	this information is not available	

9.2 Other information

Information with regard to physical hazard classes there is no additional information

Other safety characteristics

Miscibility Completely miscible with water.

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

United Kingdom: en Page: 7 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Metall-EX liquid

Version number: GHS 9.2 (2023-03-24)

Replaces version: GHS 8 (2023-02-02)

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Bases, Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Name of substance	CAS No	Exposure route	End- point	Value	Species
(1-Hydroxyethylidene)-1,1-di- phosphonic acid	2809-21-4	oral	LD50	3,130 ^{mg} / _{kg}	rat
(1-Hydroxyethylidene)-1,1-di- phosphonic acid	2809-21-4	dermal	LD50	>5,000 ^{mg} / _{kg}	rabbit
Phosphoric acid	7664-38-2	oral	LD50	>300 – 2,000 ^{mg} / _{kg}	rat
Phosphoric acid	7664-38-2	dermal	LD50	2,740 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

United Kingdom: en Page: 8 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Metall-EX liquid

Version number: GHS 9.2 (2023-03-24)

Replaces version: GHS 8 (2023-02-02)

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0, 1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Other disposal recommendations

Dispose of contents/container to hazardous or special waste collection point. Waste treatment of containers/packagings: Mixed municipal waste.

Relevant provisions relating to waste

List of wastes (EU), Decision 2000/532/EC on the list of waste

Product Code/ Type of waste: 19 09 99

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United Kingdom: en Page: 9 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Metall-EX liquid

Version number: GHS 9.2 (2023-03-24) Replaces version: GHS 8 (2023-02-02)

SECTION 14: Transport information

 14.1 UN number or ID number
 1760

 ADR/RID/ADN
 UN 1760

 IMDG-Code
 UN 1760

 ICAO-TI
 UN 1760

14.2 UN proper shipping name CORROSIVE LIQUID, N.O.S.

ADR/RID/ADN CORROSIVE LIQUID, N.O.S. IMDG-Code CORROSIVE LIQUID, N.O.S.

ICAO-TI Corrosive liquid, n.o.s.

Technical name (hazardous ingredients) (1-Hydroxyethylidene)-1, 1-diphosphonic acid, Hydrochlor-

ic acid

14.3 Transport hazard class(es)

ADR/RID/ADN 8
IMDG-Code 8
ICAO-TI 8

14.4 Packing group II (substance presenting medium danger)

ADR/RID/ADN II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods

regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Classification code C9
Danger label(s) 8

Special provisions (SP) 274
Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) E
Hazard identification No 80
Emergency Action Code 2X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) -

Additional information

Classification code C9
Danger label(s) 8



Special provisions (SP) 274
Excepted quantities (EQ) E2

United Kingdom: en Page: 10 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Metall-EX liquid

Version number: GHS 9.2 (2023-03-24)

Replaces version: GHS 8 (2023-02-02)

Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 80

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant Danger label(s) 8

Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s)



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A3

E2

Limited quantities (LQ)

0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

No	Dangerous substance/hazard categories
	not assigned

Deco-Paint Directive

VOC content	0 %
-------------	-----

Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

None of the ingredients are listed.

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	CAS No	Listed in	Remarks
(1-Hydroxyethylidene)-1,1-diphosphonic acid		a)	

Legend

Δ١

Indicative list of the main pollutants

United Kingdom: en Page: 11 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Metall-EX liquid

Version number: GHS 9.2 (2023-03-24)

Replaces version: GHS 8 (2023-02-02)

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National inventories

Country	Country Inventory Status	
EU	REACH Reg.	all ingredients are listed

Legend

REACH Reg. REACH registered substances

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relevant
2.3	Other hazards: Of no significance	Other hazards	yes
2.3		Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0, 1%.	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC N₀	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code

United Kingdom: en Page: 12 / 13



according to Regulation (EC) No. 1907/2006 (REACH)

Metall-EX liquid

Version number: GHS 9.2 (2023-03-24)

Replaces version: GHS 8 (2023-02-02)

Abbr.	Descriptions of used abbreviations
IMDG-Code	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	indicative occupational exposure limit value
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STEL	short-term exposure limit
STOT SE	specific target organ toxicity - single exposure
TWA	time-weighted average
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 13 / 13